Form IVA [See rule 13] Annual Report

To be submtted to the prescribed authority on or before 30th june every year for the period from january-For the year 2022 (jan 2022 to December 2022)

				,					
S.	Dutislans				Production 1				
	Particlars Particulars of the Occupier	:	Dharma & Co						
	(i) Name of the authorised person	-							
-	(i) Name of the authorised person (ii) Name of HCF or CBMWTF	÷	Dharma & Co	U					
		:	Sy. No:243/A, Vill- Mettupally, Mandal Chinna Kodur,						
	(iii) Address for	<u>:</u>	Sy. No:243/A, Vill- Mettupally, Mandal Chinna Kodur,						
	(iv) Address of Facility	<u>:</u>	9160022777						
	(v)Tel. No, Fax. No	:	dharma.co@yahoo.com						
	(vi) E-Mail ID	·-	www.dharmabmw.com						
	(vii) URL of website	<u>:</u>	Latitude 18.1973293 Longitude 78.9007150						
	(viii) GPS coordinates	•	Private						
	(ix) Ownership of HCF	:	TSPCB/HO/RCP/CFO-BMWM/CBMWTF/2021-1133						
	(x) Status of Authorisation under the	<u>.</u>	13PCB/HO/KCI /CI K	O DIVIVV	TVII C BIVITY				
	(xi) Status of Consents under Water Act	:		N/	Δ				
2	Type of Health care Facility	:		147					
	(i) Bedded Hospital	:							
	(ii) Non- bedded hospital	:				,			
	(iii) Licence number	:							
3	Details of CBMWTF	:							
	(I) Number of healthcare	:	763						
	(ii) No of beds covered	:	8566 beds						
	(iii) Installed freatment and	:	incinerator-150kg/hr, autoclave-220lts/hr, sherder-100kg						
	(iv) Quantity of biomedical wasate treated or	:	1483 Kgs per day						
4	Quantity of waste generated of disposed		Yellow Category: 40						
	in Kg per annum (on monthly average		Red Category: 95915 per/annum						
	basis)		White: 1585 per/annum						
			Blue Category: 35921 per/annum						
			General Solid waste:nil						
5	Details of the Storage, treatment, transporta	tior	, processing and disposal Facility						
	(i) Details of the on site storage	T :	Size:						
	facility		Capacity:						
		:	Provision of on-site storage:						
	(ii) Disposal facilities	+	Type of treatment	no of	capacity	quantity treated			
	(II) Disposal radinates		equipment	units	kg/day	or disposed in			
		'				kg per annum			
		-	Incinerators	-		408676/per			
		:	Indinglators	1	150kg/hr	annum			
		-	Plasma Pyrolysis		Jane	,,,			
		-	Autoclaves	1		132701/per			
			Autociaves		220lts/hr	annum			
1			Microwave						

	1		Hydroclave	•		T		
		<u> </u>	Shredder			 95915/per		
		:	Silleddel	1	100kg/hr	annum		
		:	Needle tip cutter	·	roongiii			
			Sharps					
		:	encapsulation	3		1585/per annum		
		:	Deep burial pits:					
			Chemical disinfectio					
		:	Any other					
	(iii) Quantity of recyclable wastes sold to		81528 kgs/annum plastic,					
	authorized recyclers after treatment in kg	:	35921 kg/annum glass					
	per annum							
	(iv) No of vehicles used for collection and	:	5					
	(v) Details of incineration ash and ETP				Quantity	Where		
	sludge generated and disposed during the				generated	disposed		
	treatment of wastes in Kg per annum	:	 Incineration		408676	by incineration		
			Ash		20434	sent to TSDF		
			ETP Sludge		880	sent to TSDF		
	(vi) Name of the Common Bio medical	:		Dharm	a & Co			
	(vii) List of member HCF not handed over	:	List attached					
6	Do you have bio-medical waste	:						
7	Details tranings conducted	:						
	(i) Number of training conducted on BMW	:	74 507 persons 51 persons Nil Yes					
	(ii) Number of personnel trained	:						
	(iii) Number of personnel trained at the time	:						
	(iv) number of personnel not undergone any	·						
	(v) Whether standard manual for training is	:						
	(vi) any other information	:						
8	Details of the accident occurred during the	:	Nil ·					
	(i) Number of accidents occurred	:	Nil					
	(ii) Number of the persons affected	:	Nil .					
	(iii) Remedial Action taken (Please attach	:	Nil					
	(iv) Any Fatality occurred, details	:						
9	Are you meeting the standards of air		yes we are meeting the standards of air pollution from					
	pollution from the incinerator? How many	:	incineration					
	times in last year could not met the							
	Details of continuos online emission		CEMS connected to CPCB & SPCB					
4.0	monitoring systems installed							
10	Liquid waste generated and treatment	:	NA					
11	Is the disinfection method or sterilization	:	yes we are meeting the standards as per log 4					
12	Any other relevent information	:	air pollution control devices attached to incinerator					

Certified that the above report is for the period from Jan-2022 to Dec-2022

Date: 17-2-2023 Place: Siddipet

Name and Signature of the Head of the Institution