

Form IVA
[See rule 13]
Annual Report

To be submitted to the prescribed authority on or before 30th June every year for the period from January-2020 to December-2020 of the preceding year, by the occupier of health care facility (HCF) or common bio - medical waste treatment facility (CBMWTF)

For the year 2020 (Jan 2020 to December 2020)

S.No	Particulars		
1	Particulars of the Occupier	:	Dharma & Co
	(i) Name of the authorised person (occupier or operator of facility)	:	Dheeraj Kumar Reddy
	(ii) Name of HCF or CBMWTF	:	Dharma & Co
	(iii) Address for Correspondence	:	Sy. No:243/A, Vill- Metpally, Mandal Chinna Kodur, District: Siddipet, Pin:502276
	(iv) Address of Facility	:	Sy. No:243/A, Vill- Metpally, Mandal Chinna Kodur, District: Siddipet, Pin:502276
	(v) Tel. No, Fax. No	:	9160022777
	(vi) E-Mail ID	:	dharmaco@rediffmail.com
	(vii) URL of website	:	www.dharmabmw.com
	(viii) GPS coordinates of HCF or CBMWTF	:	Latitude 18.1973293 Longitude 78.9007150
	(ix) Ownership of HCF or CBMWTF	:	Private
	Bio- Medical Waste (Management and Handling) Rules	:	Consent order no:628/TSPCB/BMWM/CBMWTF/2016-2788 dated:16/1/2017. valid till 30/11/2021.
	(xi) Status of Consents under Water Act and Air Act	:	
2	Type of Health care Facility	:	NA
	(i) Bedded Hospital	:	
	(ii) Non- bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or	:	
	(iii) Licence number and its date of expiry	:	
3	Details of CBMWTF	:	
	(I) Number of healthcare Facilities CBMWTF	:	554
	(ii) No of beds covered by CBMWTF	:	7232 beds
	(iii) Installed treatment and disposal capacity of CBMWTF	:	incinerator-150kg/hr, autoclave-220lts/hr, shredder-100kg/hr
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	1308 Kgs per day
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 364788 per/annum
		:	Red Category: 76726 per/annum
		:	White: 1280 per/annum

		Blue Category: 34916 per/annum				
		General Solid waste:nil				
5	Details of the Storage, treatment, transportation, processing and disposal Facility					
	(i) Details of the on site storage facility	:	Size:			
		:	Capacity:			
		:	(cold storage or any other provision)			
	(ii) Disposal facilities	:	Type of treatment equipment	no of units	capacity kg/day	quantity treated or disposed in kg per annum
		:	Incinerators	1	150kg/hr	364788/per annum
		:	Plasma Pyrolysis			
		:	Autoclaves	1	220lts/hr	112922/per annum
		:	Microwave			
		:	Hydroclave			
		:	Shredder	1	100kg/hr	76726/per annum
		:	Needle tip cutter			
		:	Sharps encapsulation or concrete pit	3		1280/per annum
		:	Deep burial pits:			
		:	Chemical disinfection			
		:	Any other treatment			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	65217kgs/annum plastic, 34916 kg/annum glass			
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	4			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:		Quantity generated	Where disposed	
		:	Incineration	364788	by incineration	
		:	Ash	18239	sent to TSDF	
		:	ETP Sludge	840	sent to TSDF	
	(vi) Name of the Common Bio medical waste	:	Sampath			
	(vii) List of member HCF not handed over bio-medical waste	:	List attached			
6	Do you have bio-medical waste management committee? If yes, attach	:				
7	Details trainings conducted on BMW	:				
	(i) Number of training conducted on BMW Management	:	96			
	(ii) Number of personnel trained	:	768 persons			
	(iii) Number of personnel trained at the time of induction	:	109 persons			
	(iv) number of personnel not undergone any	:	Nil			
	(v) Whether standard manual for training is	:	Yes			
	(vi) any other information	:				

8	Details of the accident occurred during the	:	Nil
	(i) Number of accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	details if any	:	Nil
	(iv) Any Fatality occurred, details	:	
9	Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the	:	yes we are meeting the standards of air pollution from incineration
	Details of continuos online emission monitoring systems installed	:	CEMS connected to CPCB
10	Liquid waste generated and treatment methods in place. How many times you	:	NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many	:	yes we are meeting the standards as per log 4
12	Any other relevent information	:	air pollution control devices attached to incineration

Certified that the above report is for the period from Jan-2020 to Dec-2020

Date: 7-5-2021

Place: Siddipet

Name and Signature of the Head of the Institution

