

Form IVA
[See rule 13]
Annual Report

To be submitted to the prescribed authority on or before 30th June every year for the period from January-2021
For the year 2021 (Jan 2021 to December 2021)

S.No	Particulars														
1	Particulars of the Occupier	:	Dharma & Co												
	(i) Name of the authorised person	:													
	(ii) Name of HCF or CBMWTF	:	Dharma & Co												
	(iii) Address for	:	Sy. No:243/A, Vill- Metpally, Mandal Chinna Kodur,												
	(iv) Address of Facility	:	Sy. No:243/A, Vill- Metpally, Mandal Chinna Kodur,												
	(v) Tel. No, Fax. No	:	9160022777												
	(vi) E-Mail ID	:	dharma.co@rediffmail.com												
	(vii) URL of website	:	www.dharmabmw.com												
	(viii) GPS coordinates	:	Latitude 18.1973293 Longitude 78.9007150												
	(ix) Ownership of HCF	:	Private												
	(x) Status of Authorisation under the Bio- Medical Waste (Management and	:	TSPCB/HO/RCP/CFO-BMWM/CBMWTF/2021-1133 dated:14/10/2021. valid till 30/11/2026.												
	(xi) Status of Consents under Water Act	:													
2	Type of Health care Facility	:	NA												
	(i) Bedded Hospital	:													
	(ii) Non- bedded hospital	:													
	(iii) Licence number	:													
3	Details of CBMWTF	:													
	(I) Number of healthcare	:	638												
	(ii) No of beds covered	:	7670 beds												
	(iii) Installed treatment and	:	incinerator-150kg/hr, autoclave-220lts/hr, shredder-100kg												
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	1522 Kgs per day												
4	Quantity of waste generated of disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 439446 per/annum Red Category: 82835 per/annum White: 2233 per/annum Blue Category: 31120 per/annum General Solid waste:nil												
5	Details of the Storage, treatment, transportation, processing and disposal Facility														
	(i) Details of the on site storage facility	:	Size:												
		:	Capacity:												
		:	Provision of on-site storage:												
	(ii) Disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th><th>no of units</th><th>capacity kg/day</th><th>quantity treated or disposed in kg per annum</th></tr> </thead> <tbody> <tr> <td>Incinerators</td><td>1</td><td>150kg/hr</td><td>439446/per annum</td></tr> <tr> <td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of treatment equipment	no of units	capacity kg/day	quantity treated or disposed in kg per annum	Incinerators	1	150kg/hr	439446/per annum	Plasma Pyrolysis			
Type of treatment equipment	no of units	capacity kg/day	quantity treated or disposed in kg per annum												
Incinerators	1	150kg/hr	439446/per annum												
Plasma Pyrolysis															

	:	Autoclaves	1	220lts/hr	116188/per annum
	:	Microwave			
	:	Hydroclave			
	:	Shredder	1	100kg/hr	82835/per annum
	:	Needle tip cutter			
	:	Sharps encapsulation	3		2233/per annum
	:	Deep burial pits:			
	:	Chemical disinfectio			
	:	Any other			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	70410 kgs/annum plastic, 31120 kg/annum glass			
(iv) No of vehicles used for collection and	:	5			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Incineration	Quantity generate	Where disposed	
		Ash	439446	by	
		ETP Sludge	21972	sent to TSDF	
(vi) Name of the Common Bio medical	:	Dharma & Co			
(vii) List of member HCF not handed	:	List attached			
6	:	Do you have bio-medical waste			
7	:	Details tranings conducted			
	:	(i) Number of training conducted on	77		
	:	(ii) Number of personnel trained	539 persons		
	:	(iii) Number of personnel trained at the	65 persons		
	:	(iv) number of personnel not undergone	Nil		
	:	(v) Whether standard manual for	Yes		
	:	(vi) any other information			
8	:	Details of the accident occurred during	Nil		
	:	(i) Number of accidents occurred	Nil		
	:	(ii) Number of the persons affected	Nil		
	:	(iii) Remedial Action taken (Please	Nil		
	:	(iv) Any Fatality occurred, details			
9	:	Are you meeting the standards of air pollution from the incinerator? How	yes we are meeting the standards of air pollution from incineration		
	:	Details of continuos online emission	CEMS connected to CPCB		
10	:	Liquid waste generated and treatment	NA		
11	:	Is the disinfection method or sterilization	yes we are meeting the standards as per log 4		
12	:	Any other relevent information	air pollution control devices attached to incineration		

Certified that the above report is for the period from Jan-2021 to Dec-2021

Date: 17-5-2022

Place: Siddipet

Name and Signature of the Head of the Institution